

# Universal Lite


Impervious Carpet




140 Grey



250 Truffle




270 Iron



350 Slate




550 Terracotta



680 Volcanic Splash




690 Merlot



700 Aegean Waters



720 Malacite Green




# Universal Lite


Impervious Carpet




780 Emerald Delight



820 Cornflower Blue



880 Midnight Bounty



## Universal Lite

Impervious Carpet

### Specification

Construction		Tufted Twist Pile
Pile Content		100% Solution Dyed Polypropylene
Primary Backing		Woven
Secondary Backing		Impervious Foam
Pile Weight		1050g/m <sup>2</sup>
Total Weight		3125g/m <sup>2</sup>
Pile Height		6mm
Total Thickness		10mm
Gauge		1/10"
Stitch Count		172,000m <sup>2</sup>
Size		Width 4m
Wear Classification	EN1307	32
Luxury Classification	EN1307	LC3
Fastness to Light		≥6
Antistatic		≤2kV
Fire Classification	ISO 13501-1	Efl
Impact Noise Rating	ISO 10140	31dB
Thermal Conductivity	ISO 8302	0.14m <sup>2</sup> /kw

#### Anti-Microbial

BI-OME Advanced Antimicrobial treatment coats the carpet fibres and is designed to kill and prevent the growth of micro-organisms when they come into contact with the carpet.



### Suitability

Education

Healthcare

Hospitality & Leisure

Residential

Retail

### Guarantee



#### 10 Year Wear

Apply for full details of terms and conditions of above.

### Maintenance

It is recommended that a maintenance schedule be introduced from the date of installation.

Regular cleaning is essential. All spillages and stains should be attended to immediately. Please refer to our website [www.jhscarpets.co.uk](http://www.jhscarpets.co.uk) which has full information on cleaning and maintenance.

**JOSEPH HAMILTON SEATON**

Relay Park, Relay Drive, Tamworth, Staffordshire. B77 5PR

Tel: 01827 831 400 | Email: [sales@jhscarpets.com](mailto:sales@jhscarpets.com) | [www.jhscarpets.co.uk](http://www.jhscarpets.co.uk)