

Pulse

Broadloom Carpet



180 Cobalt



610 Esque



610 Pebble



620 Taupe



130 Cedar



640 Cedar



660 Zinc



670 Onyx



180 Obsidian

Core

Broadloom Carpet



110 Midnight



105 Bay



910 Silver



932 Slate



127 Latte



970 Umber



180 Coffee



992 Graphite



195 Ebony

Edge

Broadloom Carpet



130 Wave



110 Olive



910 Ash



920 Musk



120 Horizon



140 Plaza



950 Smoke



970 Shadow



180 Carbon

Pulse, Core & Edge

Construction	Structured Loop Pile	
Backing	Bitumen	
Tile Size	50cm x 50cm	
Wear Classification	EN1307	33 (Heavy Commercial)
Antistatic	ISO 6356	≤2kv
Fire Classification	ISO 13501-1	Bfl-s1
Fastness to Light	ISO 105-B02	> 7
Pile Content	ECONYL	100% Solution Dyed Nylon
Castor Chair	Pass	

		PULSE	CORE	EDGE
Thermal Conductivity	IS 4745	<0.093 C/W	<0.145 C/W	<0.093 C/W
Pile Weight		620g/m ²	580g/m ²	620g/m ²
Total Weight		4105g/m ²	4200g/m ²	4105g/m ²
Pile Height		3.2mm	2.6mm	3.2mm
Total Height		6.5mm	5.8mm	6.5mm
Sound Absorption	IN ISO 354	24db	26db	24db

